

Different Classes of Graphs to Represent Microstructures for CSPs*

Achref El Mouelhi and Philippe Jégou and Cyril Terrioux

LSIS - UMR CNRS 7296

Aix-Marseille Université

Avenue Escadrille Normandie-Niemen

13397 Marseille Cedex 20 (France)

{achref.elmouelhi, philippe.jegou, cyril.terrioux}@lsis.org

Abstract

The CSP formalism has shown, for many years, its interest for the representation of numerous kinds of problems, and also often provide effective resolution methods in practice. This formalism has also provided a useful framework for the knowledge representation as well as to implement efficient methods for reasoning about knowledge. The data of a CSP are usually expressed in terms of a constraint network. This network is a (constraints) graph when the arity of the constraints is equal to two (binary constraints), or a (constraint) hypergraph in the case of constraints of arbitrary arity, which is generally the case for problems of real life. The study of the structural properties of these networks has made it possible to highlight certain properties, which led to the definition of new tractable classes, but in most cases, they have been defined for the restricted case of binary constraints. So, several representations by graphs have been proposed for the study of constraint hypergraphs to extend the known results to the binary case. Another approach, finer, is interested in the study of the microstructure of CSP, which is defined by graphs. This helped, offering a new theoretical framework to propose other tractable classes.

In this paper, we propose to extend the notion of microstructure to any type of CSP. For this, we propose three kinds of graphs that can take into account the constraints of arbitrary arity. We show how these new theoretical tools can already provide a framework for developing new tractable classes for CSPs. We think that these new representations should be of interest for the community, firstly for the generalization of existing results, but also to obtain original results.

1 Preliminaries

Constraint Satisfaction Problems (CSPs, see [Rossi *et al.*, 2006] for a state of the art) provide an efficient way of for-

*This work was supported by the French National Research Agency under grant TUPLES (ANR-2010-BLAN-0210).

mulating problems in computer science, especially in Artificial Intelligence. Formally, a *constraint satisfaction problem* is a triple (X, D, C) , where $X = \{x_1, \dots, x_n\}$ is a set of n variables, $D = (D_{x_1}, \dots, D_{x_n})$ is a list of finite domains of values, one per variable, and $C = \{C_1, \dots, C_e\}$ is a finite set of e constraints. Each constraint C_i is a pair $(S(C_i), R(C_i))$, where $S(C_i) = \{x_{i_1}, \dots, x_{i_k}\} \subseteq X$ is the *scope* of C_i , and $R(C_i) \subseteq D_{x_{i_1}} \times \dots \times D_{x_{i_k}}$ is its *compatibility relation*. The *arity* of C_i is $|S(C_i)|$.

We assume that each variable appears at least in the scope of one constraint and that the relations are represented in extension (e.g. by providing the list of allowed tuples) even if for some parts of this work, this hypothesis is not required. A CSP is called *binary* if all constraints are of arity 2 (we denote C_{ij} the binary constraint whose scope is $S(C_{ij}) = \{x_i, x_j\}$). Otherwise, if the constraints are of arbitrary arity, a CSP is said to be *non binary*. The structure of the constraint network is represented by the hypergraph (X, C) (which is a graph in the binary case) whose vertices correspond to variables and edges to the constraint scopes. An assignment on a subset of X is said to be *consistent* if it does not violate any constraint.

Testing whether a CSP has a *solution* (i.e. a consistent assignment on all the variables) is known to be NP-complete. So, many works have been realized to make the solving of instances more efficient by using optimized backtracking algorithms, filtering techniques based on constraint propagation, heuristics...

Another way is related to the study of tractable classes defined by properties of constraint networks. E.g., it has been shown that if the structure of this network, that is a graph for binary CSPs, is acyclic, it can be solved in linear time [Freuder, 1982]. This kind of result has been extended to hypergraphs in [Beeri *et al.*, 1983; Janssen *et al.*, 1989]. Using these theoretical results, some practical methods to solve CSPs have been defined, such as Tree-Clustering [Dechter and Pearl, 1989] which can be efficient in practice [Jégou and Terrioux, 2003]. So, the study of such properties for graphs or hypergraphs has shown its interest regarding the constraint network.

Graphs properties have also been exploited to study the properties of compatibility relations for the case of binary CSPs. This is made possible thanks to a representation called microstructure that we can associate to a binary CSP. A microstructure is defined as follows:

Definition 1 (Microstructure) Given a binary CSP $P = (X, D, C)$, the microstructure of P is the undirected graph $\mu(P) = (V, E)$ with:

- $V = \{(x_i, v_i) : x_i \in X, v_i \in D_{x_i}\}$,
- $E = \{ \{(x_i, v_i), (x_j, v_j)\} \mid i \neq j, C_{ij} \notin C \text{ or } C_{ij} \in C, (v_i, v_j) \in R(C_{ij}) \}$

The transformation of a CSP instance using this representation can be considered as a reduction from the CSP problem to the well known CLIQUE problem [Garey and Johnson, 1979] seeing that it can be realized in polynomial time and using the theorem [Jégou, 1993] recalled below:

Theorem 1 An assignment of variables in a binary CSP P is a solution iff this assignment is a clique of size n (the number of variables) in $\mu(P)$.

The interest to consider the microstructure was firstly shown in [Jégou, 1993] in order to detect new tractable classes for CSP based on Graph Theory. Indeed, while determining whether the microstructure contains a clique of size n is NP-complete, this task can be achieved, in some cases, in polynomial time. For example, using a famous result of Gavril [Gavril, 1972], Jégou has shown that if the microstructure of a binary CSP is triangulated, then this CSP can be solved in polynomial time. By this way, a new tractable class for binary CSPs has been defined since it is also possible to recognize triangulated graphs in polynomial time.

Later, in [Cohen, 2003], applying the same approach and also [Gavril, 1972], Cohen shows that the class of binary CSPs with triangulated complement of microstructure is tractable, the achievement of arc-consistency being a decision procedure.

More recently, other works have defined new tractable classes of CSPs thanks to the study of microstructure. For example, generalizing the result on triangulated graphs, [Salomon and Jeavons, 2008] have shown that the class of binary CSPs the microstructure of which is a *perfect graph* constitutes also a tractable class. Then, in [Cooper *et al.*, 2010], the class BTP, which is defined by forbidden patterns (as for triangulated graphs), has been introduced. After that, [El Mouelhi *et al.*, 2012] also exploit the microstructure, but in another way, by presenting new results on the effectiveness of classical algorithms for solving CSPs when the number of maximal cliques in the microstructure of binary CSPs is bounded by a polynomial.

The study of the microstructure has also shown its interest in other fields. For example, for the problem of counting the number of solutions [Angelsmark and Jonsson, 2003], or for the study of symmetries in binary CSPs [Cohen *et al.*, 2006; Mears *et al.*, 2009]. Thus, the microstructure appears as an interesting tool for the study of CSPs, or more precisely, for the theoretical study of CSPs.

This notion has been studied and exploited in the limited field of binary CSPs, even if the microstructure for non binary CSPs has already been considered. Indeed, in [Cohen, 2003], the complement of the microstructure of a non binary CSP is defined as a hypergraph:

Definition 2 (Complement of the Microstructure) Given a binary CSP $P = (X, D, C)$, the Complement of the Microstructure of P is the hypergraph $\overline{\mu}(P) = (V, E)$ such that:

- $V = \{(x_i, v_i) : x_i \in X, v_i \in D_{x_i}\}$,
- $E = E_1 \cup E_2$ such that
 - $E_1 = \{ \{(x_i, v_j), (x_i, v_{j'})\} \mid x_i \in X \text{ and } j \neq j' \}$
 - $E_2 = \{ \{(x_{i_1}, v_{i_1}), \dots, (x_{i_k}, v_{i_k})\} \mid C_i \in C, S(C_i) = \{x_{i_1}, \dots, x_{i_k}\} \text{ and } (v_{i_1}, \dots, v_{i_k}) \notin R(C_i) \}$

One can see that for the case of binary CSPs, this definition is a generalization of the microstructure since the Complement of the Microstructure is then exactly the *complement of the graph* of microstructure. Unfortunately, while it is easily possible to consider the complement of a graph, for hypergraphs this notion is not clearly defined in Hypergraph Theory. For example, should we consider all possible hyperedges of the hypergraph (i.e. all the subsets of V) by associating to each one a universal relation? In this case, the size of representation would be potentially exponential w.r.t. the size of the considered instance of CSP. As a consequence, the notion of microstructure for non binary CSPs is not explicitly defined in [Cohen, 2003], and to our knowledge, this question seems to be considered as open today. Moreover, to our knowledge, it turns out that this definition of complement of the microstructure has not really been exploited for non binary CSPs, even in the paper where it is defined since [Cohen, 2003] only exploits it for binary CSPs. More generally, exploiting a definition of a microstructure based on hypergraphs seems to be really more difficult than when it is defined by graphs. Indeed, it is well known that the literature of Graph Theory is really more extended than one of Hypergraph Theory. So, the theoretical results and efficient algorithms to manage them are more numerous, offering a larger number of existing tools which can be operated for graphs rather than for hypergraphs.

So, in this paper, to extend this notion to CSPs with constraints of arbitrary arity, we propose another way than the one introduced in [Cohen, 2003]. We propose to preserve the graph representation rather than the hypergraph representation. This is possible using known representations of constraint networks by graphs. So, we introduce three possible microstructures, based on the *dual representation*, on the *hidden variable representation* and on the *mixed encoding* [Stergiou and Walsh, 1999] of non binary CSPs. We study the basic properties of such microstructures. We also give some possible tracks to exploit these microstructures for future theoretical developments, focusing particularly on extensions of tractable classes to non binary CSPs.

The next section introduces different possibilities of microstructures for non binary CSPs while the third section shows some first results exploiting them. The last section presents a conclusion.

2 Microstructures for non binary CSPs

As indicated above, the first evocation of the notion of microstructure to non-binary CSPs was proposed by Cohen in [Cohen, 2003] and is based on hypergraphs. In contrast, we will propose several microstructures based on graphs. To do this, we will rely on the conversion of non-binary CSPs to binary CSPs. The well known methods are the dual encoding (also called dual representation), the hidden transformation (also called hidden variable representation) and the mixed encoding (also called combined encoding).

2.1 Microstructure based on Dual Representation

The dual encoding appeared in CSPs in [Dechter and Pearl, 1987]. It is based on the graph representation of hypergraphs called *Line Graphs* which has been introduced in the (Hyper)Graph Theory and which are called *Dual Graphs* for CSPs. This representation was also used before in the field of Relational Database Theory (Dual Graphs were called *Qual Graphs* in [Bernstein and Goodman, 1981]). In this encoding, the constraints of the original problem become the variables (also called *dual variables*). The domain of each new variable is exactly the set of tuples allowed by the original constraint. Then a binary constraint links two dual variables if the original constraints share at least one variable (i.e. the intersection between their scopes is not empty). So, this representation allows to define a binary instance of CSP which is equivalent to the considered non binary instance.

Definition 3 (Dual Representation) Given a CSP $P = (X, D, C)$, the Dual Graph (C, F) of (X, C) is such that $F = \{\{C_i, C_j\} : S(C_i) \cap S(C_j) \neq \emptyset\}$. The Dual Representation of P is the CSP (C_D, R_D, F_D) such that:

- $C_D = \{S(C_i) : C_i \in C\}$,
- $R_D = \{R(C_i) : C_i \in C\}$
- $F_D = \{F_k : S(F_k) \in F \text{ and for } S(F_k) = \{C_i, C_j\}, R(F_k) = \{(t_i, t_j) \in R(C_i) \times R(C_j) : t_i[S(C_i) \cap S(C_j)] = t_j[S(C_i) \cap S(C_j)]\}\}$.

The associated microstructure is then immediately obtained considering the microstructure of this equivalent binary CSP:

Definition 4 (DR-Microstructure) Given a CSP $P = (X, D, C)$ (not necessarily binary), the Microstructure based on Dual Representation of P is the undirected graph $\mu_{DR}(P) = (V, E)$ such that:

- $V = \{(C_i, t_i) : C_i \in C, t_i \in R(C_i)\}$,
- $E = \{\{(C_i, t_i), (C_j, t_j)\} \mid i \neq j, t_i[S(C_i) \cap S(C_j)] = t_j[S(C_i) \cap S(C_j)]\}$

where $t[Y]$ denotes the restriction of t to the variables of Y .

Note that this definition has firstly been introduced in [El Mouelhi *et al.*, 2013b]. As for the microstructure, there is a direct relationship between cliques and solutions of CSPs:

Theorem 2 A CSP P has a solution iff $\mu_{DR}(P)$ has a clique of size e (the number of constraints).




Figure 1: Dual Graph (a) and DR-Microstructure (b) of the CSP of the example 1.

Proof: By construction, $\mu_{DR}(P)$ is e -partite, and any clique contains at most one vertex (C_i, t_i) per constraint $C_i \in C$. Hence each e -clique of $\mu_{DR}(P)$ has exactly one vertex (C_i, t_i) per constraint $C_i \in C$. By construction of $\mu_{DR}(P)$, any two vertices $(C_i, t_i), (C_j, t_j)$ joined by an edge (in particular, in some clique) satisfy $t_i[S(C_i) \cap S(C_j)] = t_j[S(C_i) \cap S(C_j)]$. Hence all the tuples t_i in a clique join together, and it follows that the e -cliques of $\mu_{DR}(P)$ correspond exactly to tuples t which are joins of one allowed tuple per constraint, that is, to solutions of P . \square

Consider the example 1 which will be used in this paper:

Example 1 $P = (X, D, C)$ has five variables $X = \{x_1, \dots, x_5\}$ with domains $D = \{D_{x_1} = \{a, a'\}, D_{x_2} = \{b\}, D_{x_3} = \{c\}, D_{x_4} = \{d, d'\}, D_{x_5} = \{e\}\}$. $C = \{C_1, C_2, C_3, C_4\}$ is a set of four constraints with $S(C_1) = \{x_1, x_2\}$, $S(C_2) = \{x_2, x_3, x_5\}$, $S(C_3) = \{x_3, x_4, x_5\}$ and $S(C_4) = \{x_2, x_5\}$. The relations associated to the previous constraints are given by these tables:

$R(C_1)$		$R(C_2)$			$R(C_3)$			$R(C_4)$	
x_1	x_2	x_2	x_3	x_5	x_3	x_4	x_5	x_2	x_5
a	b	b	c	e	c	d	e	b	e
a'	b				c	d'	e		

The DR-Microstructure of this example is shown in figure 1. We have 4 constraints, then $e = 4$. Thanks to Theorem 2, a solution of P is a clique of size 4, e.g. $\{ab, bce, be, cde\}$ (in the examples, we denote directly t_i the vertex (C_i, t_i) and v_j the vertex (x_j, v_j) when there is no ambiguity).

Assuming that relations of instances are given by tables (it will be the same for next microstructures), the size of the DR-Microstructure is bounded by a polynomial in the size of the CSP, since $|E| \leq |V|^2$ with $|V| = \sum_{C_i \in C} |R(C_i)|$. Moreover, given an instance of CSP, computing its DR-Microstructure can be achieved in polynomial time.

More generally, with a similar approach, one could define a set of DR-Microstructures for a given non binary CSP. Indeed, it is known that for some CSPs, some edges of their dual representation can be deleted, while preserving the equivalence (this question has been studied in [Jégou, 1991]). Before, in [Janssen *et al.*, 1989], it has been shown that given a hypergraph, we can define a collection of dual (or qual) subgraphs deleting edges while preserving the connectivity between shared variables. Some of these subgraphs being minimal for inclusion and also for the number of edges. These

graphs can be called *Qual Subgraphs* while the minimal ones are called *Minimal Qual Graphs*.

Applying this result, in [Jégou, 1991], it is shown that for a given non binary CSP, there is a collection of equivalent binary CSPs (the maximal one being its dual encoding), assuming that their associated graphs preserve the connectivity.

Definition 5 (Dual Subgraph Representation) Given a CSP $P = (X, D, C)$ and a Dual Graph (C, F) of (X, C) , a Dual Subgraph (C, F') of (C, F) is such that $F' \subseteq F$ and $\forall C_i, C_j \in C$ such that $S(C_i) \cap S(C_j) \neq \emptyset$, there is a path $(C_i = C_{k_1}, C_{k_2}, \dots, C_{k_l} = C_j)$ in (C, F') such that $\forall u, 1 \leq u < l, S(C_i) \cap S(C_j) \subseteq S(C_{k_u}) \cap S(C_{k_{u+1}})$.

A Dual Subgraph Representation of P is the CSP (C_D, R_D, F'_D) such that $F'_D \subseteq F_D$ where (C_D, R_D, F_D) is the Dual Representation of P .

Figure 2 represents the two Dual Subgraphs of the Dual Graph given in the figure 1. We can see that despite the deletion of one edge in each subgraph, the connection between vertices containing x_2 is preserved by the existence of appropriate paths. In the first case, the connection between C_1 and C_2 is preserved by the path (C_1, C_4, C_2) while in the second case, the connection between C_1 and C_4 is preserved by the path (C_1, C_2, C_4) .




Figure 2: The two Dual Subgraphs of the Dual Graph of the figure 1 (a).

The equivalence between the Dual Subgraph Representation and the non binary CSP is given by the next theorem [Jégou, 1991]:

Theorem 3 There is a bijection between the set of solutions of a CSP $P = (X, D, C)$ and set of solutions of its Dual Subgraph Representation (C_D, R_D, F'_D) .

So, considering these subgraphs, we can extend the previous definition of DR-Microstructures:

Definition 6 (DSR-Microstructure) Given a CSP $P = (X, D, C)$ (not necessarily binary) and one of its Dual Subgraph (C, F') , the Microstructure based on Dual Subgraph Representation of P is the undirected graph $\mu_{DSR}(P, (C, F')) = (V, E)$ with:

- $V = \{(C_i, t_i) : C_i \in C, t_i \in R(C_i)\}$,
- $E = E_1 \cup E_2$ such that
 - $E_1 = \{ \{(C_i, t_i), (C_j, t_j)\} \mid \{(C_i, C_j)\} \in F', t_i[S(C_i) \cap S(C_j)] = t_j[S(C_i) \cap S(C_j)] \}$
 - $E_2 = \{ \{(C_i, t_i), (C_j, t_j)\} \mid \{(C_i, C_j)\} \notin F' \}$.

With this representation, we have the same kind of properties since the size of the DSR-Microstructure is bounded by the same polynomial in the size of the CSP as for DR-Microstructure. Moreover, the computing of the DSR-Microstructure can be achieved in polynomial time. Nevertheless, while Dual Subgraphs are subgraphs of Dual Graph, the DR-Microstructure is a subgraph of the DSR-Microstructure since for each deleted edge, a universal binary relation needs to be considered. Note that the property about the cliques is preserved:

Theorem 4 A CSP P has a solution iff $\mu_{DSR}(P, (C, F'))$ has a clique of size e .

Proof: Using the theorem 3, we know that all Dual Subgraph Representations of a CSP P have the same number of solutions as P . Moreover, since $\mu_{DR}(P)$ is a partial graph of $\mu_{DSR}(P, (C, F'))$ which is an e -partite graph, each e -clique of $\mu_{DR}(P)$ is also a e -clique of $\mu_{DSR}(P, (C, F'))$, and thus, there is no more e -clique in $\mu_{DSR}(P, (C, F'))$. So, it is sufficient to use theorem 2 to obtain the result. \square

2.2 Microstructure based on Hidden Variable

The hidden variable encoding was inspired by Peirce [Peirce *et al.*, 1933] (cited in [Rossi *et al.*, 1990]). In the hidden transformation, the set of variables contains the original variables plus the set of dual variables. Then a binary constraint links a dual variable and an original variable if the original variable belongs to the scope of the dual variable. The microstructure is based on this binary representation:

Definition 7 (HT-Microstructure) Given a CSP $P = (X, D, C)$ (not necessarily binary), the Microstructure based on Hidden Transformation of P is the undirected graph $\mu_{HT}(P) = (V, E)$ with:

- $V = S_1 \cup S_2$ such that
 - $S_1 = \{(x_i, v_i) : x_i \in X, v_i \in D_{x_i}\}$,
 - $S_2 = \{(C_i, t_i) : C_i \in C, t_i \in R(C_i)\}$,
- $E = \{ \{(C_i, t_i), (x_j, v_j)\} \mid \text{either } x_j \in S(C_i) \text{ and } v_j = t_i[x_j] \text{ or } x_j \notin S(C_i) \}$.

Figure 3 represents the HT-Microstructure based on the hidden transformation for the CSP of example 1. We can see that the HT-Microstructure is a bipartite graph. This will affect the representation of solutions. Before that, we should recall that a *biclique* is a complete bipartite subgraph, i.e. a bipartite graph in which every vertex of the first set is connected to all vertices of the second set. A biclique between two subsets of vertices of sizes i and j is denoted $K_{i,j}$. The solutions will correspond to some particular bicliques:

Lemma 1 In a HT-Microstructure, a $K_{n,e}$ biclique with e tuples, such that no two tuples belong to the same constraint, cannot contain two different values of the same variable.

Proof: We assume that a $K_{n,e}$ biclique with e tuples, such that no two tuples belong to the same constraint, can contain two different values v_j and v'_j of the same variable x_j . Therefore, there is at least one constraint C_i such that $x_j \in S(C_i)$. Thus, $t_i[x_j] = v_j, v'_j$ or another v''_j . Hence, in all three cases, we have a contradiction since t_i cannot be connected to two different values of the same variable. \square




Figure 3: Hidden graph (a) and HT-Microstructure (b) of the CSP of the example 1.

Lemma 2 *In a HT-Microstructure, a $K_{n,e}$ biclique with n values, such that no two values belong to the same variable, cannot contain two different tuples of the same constraint.*

Proof: We assume that a $K_{n,e}$ biclique with n values, such that no two values belong to the same variable, can contain two different tuples t_i and t'_i of the same constraint C_i . Therefore, there is at least one variable x_j such that $t_i[x_j] \neq t'_i[x_j]$. If $v_j = t_i[x_j]$ and $v'_j = t'_i[x_j]$ belong both to the $K_{n,e}$ biclique, we have a contradiction since we cannot have two values of the same variable. \square

Using these two lemmas, since a $K_{n,e}$ biclique with n values and e tuples such that no two values belong to the same variable and no two tuples belong to the same constraint corresponds to an assignment on all the variables which satisfies all the constraints, we can deduce the following theorem:

Theorem 5 *Given a CSP $P = (X, D, C)$ and $\mu_{HT}(P)$ its HT-Microstructure, P has a solution iff $\mu_{HT}(P)$ has a $K_{n,e}$ biclique with n values and e tuples such that no two values belong to the same domain and no two tuples belong to the same constraint.*

Based on the previous example, we can easily see that a biclique does not necessarily correspond to a solution. Although $\{a, a', b, c, e, ab, ab', bce, be\}$ is a $K_{5,4}$ biclique, it is not a solution. On the contrary, $\{a, b, c, d, e, ab, bce, be, cde\}$ which is also a $K_{5,4}$ biclique, is a solution of P . Then, the set of solutions is not equivalent to the set of $K_{n,e}$ bicliques, but to the set of $K_{n,e}$ bicliques which contain exactly one vertex per variable and per constraint. This is due to the manner which the graph of microstructure must be completed.

As for DR-Microstructure, the size of the HT-Microstructure is bounded by a polynomial in the size of the CSP, since:

- $|V| = \sum_{x_i \in X} |D_{x_i}| + \sum_{C_i \in C} |\{t_i \in R(C_i)\}|$ and
- $|E| \leq \sum_{x_i \in X} |D_{x_i}| \times \sum_{C_i \in C} |\{t_i \in R(C_i)\}|$.

Moreover, given an instance of CSP, computing its HT-Microstructure can also be achieved in polynomial time.

For the third microstructure, we propose another manner to complete the graph of microstructure: this new way of representation is also deduced from hidden encoding.

2.3 Microstructure based on Mixed Encoding

The Mixed Encoding [Stergiou and Walsh, 1999] of non binary CSPs uses at the same time dual encoding and hidden

variable encoding. This approach allows us to connect the values of dual variables to the values of original variables, two tuples of two different constraints and two values of two different variables. More precisely:

Definition 8 (ME-Microstructure) *Given a CSP $P = (X, D, C)$ (not necessarily binary), the Microstructure based on Mixed Encoding of P is the undirected graph $\mu_{ME}(P) = (V, E)$ with:*

- $V = S_1 \cup S_2$ such that
 - $S_1 = \{(C_i, t_i) : C_i \in C, t_i \in R(C_i)\}$,
 - $S_2 = \{(x_j, v_j) : x_j \in X, v_j \in D_{x_j}\}$,
- $E = E_1 \cup E_2 \cup E_3$ such that
 - $E_1 = \{ \{(C_i, t_i), (C_j, t_j)\} \mid i \neq j, t_i[S(C_i) \cap S(C_j)] = t_j[S(C_i) \cap S(C_j)] \}$
 - $E_2 = \{ \{(C_i, t_i), (x_j, v_j)\} \mid \text{either } x_j \in S(C_i) \text{ and } v_j = t_i[x_j] \text{ or } x_j \notin S(C_i) \}$
 - $E_3 = \{ \{(x_i, v_i), (x_j, v_j)\} \mid x_i \neq x_j \}$.

The microstructure based on the mixed encoding of the CSP of example 1 is shown in figure 4. We can observe that in this encoding, we have the same set of vertices as for the HT-Microstructure while for edges, we have the edges which belong to the DR-Microstructure and the HT-Microstructure, plus all the edges between values of domains that could appear in the classical microstructure of binary CSPs. This will have an impact on the relationship between the solutions of the CSP and the properties of the graph of ME-Microstructure. The next lemma formalizes these observations:

Lemma 3 *In a ME-Microstructure, a clique on $n+e$ vertices cannot contain two different values of the same variable, neither two different tuples of the same constraint.*

Proof: Let v_i and v'_i be two values of the same variable x_i . By definition, the vertices corresponding to v_i and v'_i cannot be adjacent and so cannot belong to the same clique. Likewise, for the tuples. \square

According to this lemma, there is a strong relationship between cliques and solutions of CSPs:

Theorem 6 *A CSP P has a solution iff $\mu_{ME}(P)$ has a clique of size $n+e$.*




Figure 4: Mixed graph (a) and ME-Microstructure (b) of the CSP of the example 1.

Proof: In a ME-Microstructure, according to lemma 3, a clique on $n + e$ vertices contains exactly one vertex per variable and per constraint. So it corresponds to an assignment of n variables which satisfies e constraints, i.e. a solution of P . \square

As for other microstructures, the size of the ME-Microstructure is bounded by a polynomial in the size of the CSP, since:

- $|V| = \sum_{x_i \in X} |D_{x_i}| + \sum_{C_i \in C} |\{t_i \in R(C_i)\}|$ and
- $|E| \leq \sum_{x_i \in X} |D_{x_i}| \times \sum_{C_i \in C} |\{t_i \in R(C_i)\}| + (\sum_{x_i \in X} |D_{x_i}|)^2 + (\sum_{C_i \in C} |\{t_i \in R(C_i)\}|)^2$.

Moreover, given an instance of CSP, computing its ME-Microstructure can also be achieved in polynomial time.

2.4 Comparisons between microstructures

Firstly, we must observe that none of these microstructures can be considered as a generalization of the classical microstructure of binary CSPs. Indeed, given a binary CSP P , we have $\mu(P) \neq \mu_{DR}(P)$ (and $\mu(P) \neq \mu_{DSR}(P)$), $\mu(P) \neq \mu_{HT}(P)$ and $\mu(P) \neq \mu_{ME}(P)$.

Moreover, while the DR-Microstructure is exactly the binary microstructure of the dual CSP (idem for DSR), neither the HT-Microstructure nor the ME-Microstructure correspond to the classical microstructure of the CSP associated to the binary representations coming from the original instance, because of the way to complete these graphs.

Finally, all these microstructures can be computed in polynomial time. This is true because we assume that compatibility relations associated to constraints are given by tables. Note that the same property holds without this hypothesis, but assuming that the size of scopes is bounded by constants, since we consider here CSPs with finite domains. Nevertheless, from a practical viewpoint, they seem to be really difficult to compute and to manipulate explicitly. But it is the same for the classical microstructure of binary CSPs. Indeed, this should require having relations given by tables or to compute all the satisfying tuples. And even if this is the case, except for small instances, this would lead generally to build graphs with a too large number of edges. However, this last

point is not really a problem because our motivation in this paper concerns the proposal of new tools for the theoretical study of non binary CSPs. To this end, the following section presents some first results exploiting these microstructures for defining new tractable classes.

3 Some results deduced from microstructures

We now present some results which can be deduced from the analysis of these microstructures. For this, we will study three tractable classes, including those corresponding to well known properties as "0-1-all" [Cooper *et al.*, 1994] and BTP [Cooper *et al.*, 2010] for which it is necessary to make a distinctness between the vertices in the graph, and a third one for which the vertices do not have to be distinguished.

3.1 Microstructures and number of cliques

In [El Mouelhi *et al.*, 2012], it is shown that if the number of maximal cliques in the microstructure of a binary CSP (denoted $\omega_{\#}(\mu(P))$) is bounded by a polynomial, then classical algorithms like Backtracking (BT), Forward Checking (FC) [Haralick and Elliot, 1980] or Real Full Look-ahead (RFL) [Nadel, 1988] solve the corresponding CSP in polynomial time. Exactly, the cost is bounded by $O(n^2 d \cdot \omega_{\#}(\mu(P)))$ for BT and FC, and by $O(ned^2 \cdot \omega_{\#}(\mu(P)))$ for RFL. We analyze here if this kind of result can be extended to non binary CSPs, exploiting the different microstructures.

More recently in [El Mouelhi *et al.*, 2013b], these results have been generalized to non binary CSPs, exploiting the Dual Representation, using the algorithms nBT, nFC and nRFL, which are the non binary versions of BT, FC and RFL. More precisely, by exploiting a particular ordering for the assignment of variables, it is shown that the complexity is bounded by $O(nea \cdot d^a \cdot \omega_{\#}(\mu_{DR}(P)))$ for nBT, and by $O(nea \cdot r^2 \cdot \omega_{\#}(\mu_{DR}(P)))$ for nFC and nRFL, where a is the maximum arity for constraints and r is the maximum number of tuples per compatibility relations.

Based on the time complexity of these algorithms, and regarding some classes of graphs with number of maximal cliques bounded by a polynomial, it is easy to define new

tractable classes. Such classes of graph are, for example, *planar graphs*, *toroidal graphs*, *graphs embeddable in a surface* [Dujmovic *et al.*, 2011] or *CSG graphs* [Chmeiss and Jégou, 1997]. This result can be summarized by:

Theorem 7 *CSPs of arbitrary arities the DR-Microstructure of which is either a planar graph, a toroidal graph, a graph embeddable in a surface or a CSG graph, are tractable.*

For HT-Microstructures, such a result does not hold. Indeed, these microstructures are bipartite graphs. So the maximal cliques have size at most two since they correspond to edges and their number is the number of edges in the graph, which is then bounded by a polynomial, independently of the tractability of the instance.

For ME-Microstructures, such a result does not hold too, but for a different reason. By construction, the edges corresponding to the set $E_3 = \{ \{(x_i, v_i), (x_j, v_j)\} \mid x_i \neq x_j \}$ of definition 8 allow all the possible assignments of variables, making the number of maximal cliques exponential except for CSPs with a single value per domain.

3.2 Microstructures and BTP

The property BTP (Broken Triangle Property) [Cooper *et al.*, 2010] defines a new tractable class for binary CSPs while exploiting characteristics of the microstructure. The BTP class turns out to be important because it captures some tractable classes (such as the class of tree-CSPs and other semantical tractable classes such as RRM). The question is then: could we extend this property to non binary CSPs while exploiting characteristics of their microstructures? A first discussion about this appears in [Cooper *et al.*, 2010]. Here, we extend these works, by analyzing the question on the DR, HT and ME-Microstructures. Before, we recall the BTP property:

Definition 9 *A CSP instance (X, D, C) satisfies the Broken Triangle Property (BTP) w.r.t. the variable ordering \prec if, for all triples of variables (x_i, x_j, x_k) s.t. $x_i \prec x_j \prec x_k$, s.t. $(v_i, v_j) \in R(C_{ij})$, $(v_i, v_k) \in R(C_{ik})$ and $(v_j, v'_k) \in R(C_{jk})$, then either $(v_i, v'_k) \in R(C_{ik})$ or $(v_j, v_k) \in R(C_{jk})$. If none of these two tuples exist, (v_i, v_j) , (v_i, v_k) and (v_j, v'_k) is called a Broken Triangle on x_k .*

In [Cooper *et al.*, 2010], it is shown that, if a binary CSP is BTP, finding a good ordering and solving it is feasible in $O(n^3 d^4 + ed^2) = O(n^3 d^4)$.

DR-Microstructure. To extend BTP to non binary CSPs, the authors propose to consider the Dual Graph as a binary CSP, translating directly the BTP property. We denote DBTP this extension. For example, Figure 5 presents the DR-Microstructure of an instance P involving three constraints. In Figure 5 (a), we can observe the presence of a broken triangle on c_3 if we consider the ordering $c_1 \prec c_2 \prec c_3$ and so P does not satisfy DBTP w.r.t. \prec . In contrast, in Figure 5(b), if either t_1 and t'_3 (blue edge) or t_2 and t_3 (red edge) are compatible, then P satisfies DBTP according to \prec .

But it is possible, analyzing the DR-Microstructure, to extend significantly the first results achieved in [Cooper *et al.*, 2010], these ones being limited to show that the binary tree-structured instances are BTP on their dual representation. For example, it can be shown that for binary CSPs, the




Figure 5: DR-Microstructure of a non binary CSP satisfying BTP on its dual representation

properties of the classical microstructure are clearly different than the ones of the associated DR-Microstructure, proving that for a binary instance, the existence of broken triangles is not equivalent, considering one or the other of these two microstructures. Moreover, it can also be proved that if a non binary CSP has β -acyclic hypergraph [Graham, 1979; Fagin, 1983], then its DR-Microstructure admits an order such that there is no broken triangle, thus satisfying BTP. Other results due to the properties of the DR-Microstructure can be deduced considering BTP. More details about these results are given in [El Mouelhi *et al.*, 2013a].

HT and ME-Microstructures. For HT-Microstructure, one can easily see that no broken triangle exist explicitly since this graph is bipartite. To analyze BTP on this microstructure, one should need to consider universal constraints (i.e. with universal relations) between vertices of the constraint graph resulting from Hidden Transformation. Also, we will directly study ME-microstructure because this microstructure has the same vertices as the HT-Microstructure and it has been completed with edges between these vertices. So, consider now the HT-Microstructure. Extending BTP on this microstructure is clearly more complicated because we must consider at least four different cases of triangles, because contrary to BTP or BTP on the DR-Microstructure, we have two kinds of vertices: tuples of relations and values of domains. Moreover, since for BTP, we must also consider orderings such as $i < j < k$, actually we must consider six kinds of triangles since it is possible, for BTP to permute the order of the two first variables: (1) $x_i < x_j < x_k$, (2) $x_i < x_j < C_k$, (3) $x_i < C_j < x_k$ (or $C_i < x_j < x_k$), (4) $x_i < C_j < C_k$ (or $C_i < x_j < C_k$), (5) $C_i < C_j < x_k$, (6) $C_i < C_j < C_k$.

One can notice the existence of a link for BTP between DR-Microstructure and ME-Microstructure. Indeed, if a non binary CSP P has a broken triangle on DR-Microstructure, for any possible ordering of the constraints, then P possesses necessarily a broken triangle for any ordering on mixed variables (variables and constraints). This leads us to the following theorem which seems to show the DR-Microstructure as the most promising one w.r.t. the BTP property:

Theorem 8 *If a CSP P satisfies BTP considering its ME-Microstructure, that is an ordering on mixed variables, then there exists an ordering for which P satisfies BTP considering its DR-Microstructure.*

3.3 Microstructures and "0-1-all" constraints

In the previous subsections, it seems that the DR-Microstructure should be the most interesting. Does this feeling remains true for other tractable classes? To begin the study we analyze the well known tractable class defined by *Zero-One-All constraints* ("0-1-all") introduced in [Cooper *et al.*, 1994]. Firstly, we recall the definition:

Definition 10 A binary CSP $P = (X, D, C)$ is said **0-1-all** (ZOA) if for each constraint C_{ij} of C , for each value $v_i \in D_{x_i}$, C_{ij} satisfies one of the following conditions:

- (0) for any value $v_j \in D_{x_j}$, $(v_i, v_j) \notin R(C_{ij})$,
- (1) there is a unique value $v_j \in D_{x_j}$ such that $(v_i, v_j) \in R(C_{ij})$,
- (all) for any value $v_j \in D_{x_j}$, $(v_i, v_j) \in R(C_{ij})$.

This property can be represented graphically using the microstructure. In the case of the DR-Microstructure, it seems easy to define the same kind of property. With respect to the case of the definition given above (the one of [Cooper *et al.*, 1994] defined for binary CSPs), the difference will be related to the fact that the edges of the DR-Microstructure connect now tuples of relations. So, since there is no particular feature which can be immediately deduced from the new representation, the satisfaction of the "0-1-all" property is obviously related to the properties of the considered instance.

For the HT-Microstructure, now, the edges connect tuples (vertices associated to constraints of the CSP) to values (vertices associated to variables of the CSP). We now analyze these edges from two viewpoints, i.e. from the two possible directions.

- *Edges from the tuples to the values.* Each tuple is connected to the values appearing in the tuple. So, for each constraint associated to the HT-Microstructure, the connection is a "one" connection, satisfying the conditions of the "0-1-all" property.
- *Edges coming from the values to the tuples.* For a constraint associated to the HT-Microstructure, a value is connected to the tuples where it appears. We discuss the three possibilities.
 - "0" connection. A value is supported by no tuple. For a binary CSP, it is the same case as for the classical definition, with a connection "0".
 - "1" connection. A value is supported by one tuple. For a binary CSP, it is also the same case as for the classical definition, with a connection "1".
 - "all" connection. A value is supported by all the tuples of a constraint. We have also the same configuration as for the "all" connections in the case of binary CSPs.

So, we can deduce the next theorem, which allows us to think that for the HT-Microstructure, we have a representation at least as powerful as for the case of classical microstructure.

Theorem 9 If a binary CSP P satisfies the "0-1-all" property, then P satisfies the "0-1-all" property considering its HT-Microstructure.

Finally, for the ME-Microstructure, we must verify simultaneously the conditions defined for the DR and HT-Microstructures because, the additional edges connecting vertices associated to values correspond to universal constraints, which trivially satisfy the "0-1-all" property.

To conclude, by construction, nothing is opposite to satisfy the conditions of ZOA, even if, as for the case of binary CSPs, these conditions are really restrictive.

4 Conclusion

In this paper, we have introduced the concept of microstructure in the case of CSP with constraints of arbitrary arity. If the concept of microstructure of binary CSP is now well established and has enabled to provide the basis for many theoretical works in CSPs, for the general case, the notion of microstructure was not clearly established before. Also, in this paper, we have wanted to define explicitly a microstructure of CSP for the general case. The idea is to provide a tool for the theoretical study of CSP with constraints of any arity.

Three proposals are presented here: the DR-Microstructure (and the associated DSR-Microstructures), the HT-Microstructure and the ME-Microstructure. Actually, they are derived from the representation of non binary CSPs by equivalent binary CSPs: the dual representation, the hidden variable transformation, and the mixed approach. We have studied these different microstructures whose none constitutes a formal generalization of the classical binary microstructure.

Although this work is prospective, we have begun to show the interest of this approach. For this, we have studied some known tractable classes which have been initially defined for binary CSPs, and expressed in terms of properties of the microstructure of binary CSPs. Here, a first result is related to the case of microstructures of binary CSP whose the number of maximal cliques is bounded by a polynomial. These instances are known to be tractable in polynomial time by the usual algorithms for solving binary CSPs, as BT, FC or RFL. These classes extend naturally to non binary CSPs whose microstructures satisfy the same properties about the number of maximal cliques, if now using the non binary versions of the same algorithms. We have also shown how the BTP class can naturally be extended to non-binary CSPs while expressing the notion of broken triangle within a microstructure of non binary CSPs. This class is of interest because it includes various well-known tractable classes of binary CSPs, which are now defined in terms of constraints of arbitrary arity. We now hope that these tools will be used at the level of non binary CSPs for theoretical studies as it was the case for the classical microstructure of binary CSPs. Although a practical use of these microstructures seems quite difficult for us with respect to issues of efficiency, we believe that one possible and promising track of this work could be to better understand how common backtracking algorithms work efficiently for the non binary case, and the same thing for numerous heuristics.

References

- [Angelsmark and Jonsson, 2003] Ola Angelsmark and Peter Jonsson. Improved algorithms for counting solutions in constraint satisfaction problems. In *CP*, pages 81–95, 2003.
- [Beeri *et al.*, 1983] C. Beeri, R. Fagin, D. Maier, and M. Yannakakis. On the desirability of acyclic database schemes. *J. ACM*, 30:479–513, 1983.
- [Bernstein and Goodman, 1981] P.A. Bernstein and N. Goodman. The power of natural semijoins. *SIAM J. Comput.*, 10-4:751–771, 1981.
- [Chmeiss and Jégou, 1997] A. Chmeiss and P. Jégou. A generalization of chordal graphs and the maximum clique problem. *Information Processing Letters*, 62:111–120, 1997.
- [Cohen *et al.*, 2006] David A. Cohen, Peter Jeavons, Christopher Jefferson, Karen E. Petrie, and Barbara M. Smith. Symmetry definitions for constraint satisfaction problems. *Constraints*, 11(2-3):115–137, 2006.
- [Cohen, 2003] David A. Cohen. A New Class of Binary CSPs for which Arc-Consistency Is a Decision Procedure. In *CP*, volume 2833 of *LNCS*, pages 807–811. Springer, 2003.
- [Cooper *et al.*, 1994] M. Cooper, D. Cohen, and P. Jeavons. Characterising Tractable Constraints. *Artificial Intelligence*, 65(2):347–361, 1994.
- [Cooper *et al.*, 2010] M. Cooper, Peter Jeavons, and Andras Salamon. Generalizing constraint satisfaction on trees: hybrid tractability and variable elimination. *Artificial Intelligence*, 174:570–584, 2010.
- [Dechter and Pearl, 1987] R. Dechter and J. Pearl. Network-based heuristics for constraint satisfaction problems. *Artificial Intelligence*, 34:1–38, 1987.
- [Dechter and Pearl, 1989] R. Dechter and J. Pearl. Tree-Clustering for Constraint Networks. *Artificial Intelligence*, 38:353–366, 1989.
- [Dujmovic *et al.*, 2011] Vida Dujmovic, Gasper Fijavz, Gwenaél Joret, Thom Sulanke, and David R. Wood. On the maximum number of cliques in a graph embedded in a surface. *European J. Combinatorics*, 32(8):1244–1252, 2011.
- [El Mouelhi *et al.*, 2012] Achref El Mouelhi, Philippe Jégou, Cyril Terrioux, and Bruno Zanuttini. On the efficiency of backtracking algorithms for binary constraint satisfaction problems. In *ISAIM*, January 2012.
- [El Mouelhi *et al.*, 2013a] Achref El Mouelhi, Philippe Jégou, and Cyril Terrioux. Sur une classe polynomiale hybride pour les csp d’arité quelconque. In *JFPC 2013 (in French)*, to appear, 2013.
- [El Mouelhi *et al.*, 2013b] Achref El Mouelhi, Philippe Jégou, Cyril Terrioux, and Bruno Zanuttini. Some new tractable classes of csp and their relations with backtracking algorithms. In *CPAIOR*, pages 61–76, 2013.
- [Fagin, 1983] Ronald Fagin. Degrees of acyclicity for hypergraphs and relational database schemes. *J. ACM*, 30(3):514–550, 1983.
- [Freuder, 1982] E. Freuder. A Sufficient Condition for Backtrack-Free Search. *JACM*, 29 (1):24–32, 1982.
- [Garey and Johnson, 1979] M.R. Garey and D.S. Johnson. *Computer and Intractability*. Freeman, 1979.
- [Gavril, 1972] F. Gavril. Algorithms for minimum coloring, maximum clique, minimum covering by cliques, and maximum independent set of a chordal graph. *SIAM Journal on Computing*, 1 (2):180–187, 1972.
- [Graham, 1979] M. H Graham. On the universal relation. Technical report, University of Toronto, 1979.
- [Haralick and Elliot, 1980] R. Haralick and G. Elliot. Increasing tree search efficiency for constraint satisfaction problems. *Artificial Intelligence*, 14:263–313, 1980.
- [Janssen *et al.*, 1989] P. Janssen, P. Jégou, B. Nougier, and M.C. Vilarem. A filtering process for general constraint satisfaction problems: achieving pairwise-consistency using an associated binary representation. In *Proceedings of IEEE Workshop on Tools for Artificial Intelligence*, pages 420–427, 1989.
- [Jégou and Terrioux, 2003] P. Jégou and C. Terrioux. Hybrid backtracking bounded by tree-decomposition of constraint networks. *Artificial Intelligence*, 146:43–75, 2003.
- [Jégou, 1991] P. Jégou. *Contribution à l’étude des problèmes de satisfaction de contraintes : Algorithmes de propagation et de résolution – Propagation de contraintes dans les réseaux dynamiques*. PhD thesis, Université des Sciences et Techniques du Languedoc, January 1991.
- [Jégou, 1993] P. Jégou. Decomposition of Domains Based on the Micro-Structure of Finite Constraint Satisfaction Problems. In *AAAI*, pages 731–736, 1993.
- [Mears *et al.*, 2009] Christopher Mears, Maria Garcia de la Banda, and Mark Wallace. On implementing symmetry detection. *Constraints*, 14(4):443–477, 2009.
- [Nadel, 1988] B. Nadel. *Tree Search and Arc Consistency in Constraint-Satisfaction Algorithms*, pages 287–342. In *Search in Artificial Intelligence*. Springer-Verlag, 1988.
- [Peirce *et al.*, 1933] C.S. Peirce, C. Hartshorne, and P. Weiss. *Collected Papers of Charles Sanders Peirce*, volume vol. 3. Harvard University Press, 1933.
- [Rossi *et al.*, 1990] Francesca Rossi, Charles J. Petrie, and Vasant Dhar. On the equivalence of constraint satisfaction problems. In *ECAI*, pages 550–556, 1990.
- [Rossi *et al.*, 2006] F. Rossi, P. van Beek, and T. Walsh. *Handbook of Constraint Programming*. Elsevier, 2006.
- [Salamon and Jeavons, 2008] András Salamon and Peter Jeavons. Perfect Constraints Are Tractable. In *CP*, pages 524–528, 2008.
- [Stergiou and Walsh, 1999] K. Stergiou and T. Walsh. Encodings of Non-Binary Constraint Satisfaction Problems. In *AAAI*, pages 163–168, 1999.